Contents

| | Acron | yms | <i>page</i> xix |
|---|----------------|--|-----------------|
| 1 | Intro | 3 | |
| | 1.1 | Motivation | 3 |
| | 1.2 | Wireless networks | 4 |
| | | 1.2.1 Overview | 4 |
| | | 1.2.2 Traditional Layered Architecture | 6 |
| | | 1.2.3 Necessity of Cross-Layer Optimization | 9 |
| | 1.3 | Book Outline | 12 |
| | D 4 D 7 | TONE BASIC CONCEPTS | 17 |
| | | | 17 |
| 2 | | less Channel Properties | 20 |
| | 2.1 | Path Loss | 20 |
| | 2.2 | 8 | 21 |
| | 2.3 | 8 | 22 |
| | | 2.3.1 Flat-Fading Channels | 23 |
| | | 2.3.2 Frequency-Selective Fading Channels | 26 |
| | 2.4 | Channel Estimation | 26 |
| | | 2.4.1 Flat Slow Fading Channels | 27 |
| | | 2.4.2 Frequency-Selective Slow Fading Channels | 28 |
| | | 2.4.3 Fast Fading Channels | 29 |
| | | 2.4.4 Conclusion | 29 |
| | 2.5 | Other Challenges | 30 |
| 3 | Spect | ral and Energy Efficiencies of Wireless Networks | 31 |
| | 3.1 | Spectral Efficiency | 31 |
| | 3.2 | Energy Efficiency | 32 |
| | 3.3 | Link Metrics versus Network Metrics | 33 |
| | | 3.3.1 Link Spectral Efficiency | 33 |

ix

| х | | | Contents | |
|---|------|-----------|---|----|
| | | 3.3.2 | Network Spectral Efficiency | 35 |
| | | 3.3.3 | Link Energy Efficiency | 36 |
| | | 3.3.4 | Network Energy Efficiency | 37 |
| 4 | Cent | ralized | Resource Management in Wireless Networks | 39 |
| | 4.1 | Overv | iew | 39 |
| | 4.2 | Wirele | ess Scheduling Challenges | 40 |
| | 4.3 | Centra | lized Scheduling Algorithms | 43 |
| | | 4.3.1 | Round Robin Scheduling | 44 |
| | | 4.3.2 | Max Throughput Scheduling | 45 |
| | | 4.3.3 | Proportional Fair Scheduling | 46 |
| | | 4.3.4 | Max-Min Scheduling | 47 |
| | | 4.3.5 | Max Utility Scheduling | 48 |
| 5 | Dist | ributed l | Resource Management in Wireless Networks | 53 |
| | 5.1 | Overv | iew | 53 |
| | 5.2 | ALOH | IA | 55 |
| | | 5.2.1 | Pure ALOHA | 55 |
| | | 5.2.2 | Slotted ALOHA | 56 |
| | 5.3 | Carrie | r Sense Multiple Access (CSMA) | 56 |
| | | 5.3.1 | Non-persistent CSMA | 57 |
| | | 5.3.2 | 1-persistent CSMA | 58 |
| | | 5.3.3 | p-persistent CSMA | 58 |
| | | 5.3.4 | Effect of Detection Delay | 58 |
| | 5.4 | CSMA | with Collision Detection | 59 |
| | 5.5 | Carrie | r Sense Multiple Access with Collision Avoid- | |
| | | ance (| CSMA/CA) | 60 |
| | | 5.5.1 | Hidden and Exposed Terminal Problems | 60 |
| | | 5.5.2 | Carrier Sense Multiple Access with Collision | |
| | | | Avoidance (CSMA/CA) | 60 |
| | | | | |

PART TWO CENTRALIZED CROSS-LAYER OPTIMIZA-TION

65

| 6 | Over | Overview | | | | | |
|---|------|--------------------------------------|--|----|--|--|--|
| | 6.1 | System Model and Problem Description | | | | | |
| | | 6.1.1 | Channel Characteristics in OFDM | 70 | | | |
| | | 6.1.2 | Rate Adaptation in OFDM | 71 | | | |
| | | 6.1.3 | Dynamic Subcarrier Assignment and Adaptive | | | | |
| | | | Power Allocation | 72 | | | |
| | | 6.1.4 | Queue Structure | 72 | | | |
| | | | | | | | |

| | | | Contents | xi |
|---|--------|-----------------|--|-----------|
| | | 6.1.5 | Problem Description | 73 |
| | 6.2 | Appro | - | 73 |
| 7 | Utilit | | Optimization Framework for OFDMA | 75 |
| | 7.1 | - | Based Utility Functions | 75 |
| | 7.2 | | etical Framework | 76 |
| | | 7.2.1 | Problem Formulation | 76 |
| | | 7.2.2 | Dynamic Subcarrier Assignment | 78 |
| | | 7.2.3 | Adaptive Power Allocation | 80 |
| | | 7.2.4 | Properties of Cross-Layer Optimization | 84 |
| 8 | Algo | rithm D | evelopment for Utility-Based Optimization | 87 |
| | 8.1 | Dynan | nic Subcarrier Assignment Algorithms | 87 |
| | 8.2 | Adapti | ve Power Allocation Algorithms | 93 |
| | | 8.2.1 | APA for Fixed Subcarrier Assignment | 93 |
| | | 8.2.2 | Sequential-Linear-Approximation Water- | |
| | | | filling Algorithm for Continuous Rate Adaptation | 93 |
| | | 8.2.3 | Greedy Power Allocation Algorithm Based | |
| | | | on Maximizing Total Utility for Discrete Rate | |
| | | | Adaptation | 94 |
| | 8.3 | | Dynamic Subcarrier Assignment and Adaptive | |
| | | | Allocation | 96 |
| | 8.4 | Algori tions | thm Modification for Nonconcave Utility Func- | 96 |
| | 05 | | Loven Ontimization Based on Utility Eurotions | 90 |
| | 8.5 | | Layer Optimization Based on Utility Functions | 00 |
| | 8.6 | | Respect to Average Data Rates | 98 100 |
| | 0.0 | 8.6.1 | ncy and Fairness | 100 |
| | | 0.0.1 | Fairness of "Extreme OFDM" Using Utility Functions With Respect to Instantaneous Data | |
| | | | Rates | 102 |
| | | 8.6.2 | Fairness of "Practical OFDM" Using Utility | 102 |
| | | 0.0.2 | Functions With Respect to Average Data Rates | 102 |
| | 8.7 | Simul | ation Results | 102 |
| | 8.8 | Summ | | 104 |
| 9 | | | nel- and Queue-Aware Multicarrier Scheduling | 107 |
| , | | | Based Utility Functions | 112 |
| | 9.1 | Introdu | - | 112 |
| | 9.2 | | ling Scheduling Rules in Single-Carrier Net- | 114 |
| | | | into OFDMA Networks | 113 |
| | | 9.2.1 | Max-Sum-Capacity (MSC) Rule | 114 |
| | | 9.2.1 | Proportional Fair (PF) Scheduling | 114 |
| | | 1.2.2 | risportional run (11) beneduling | 117 |

| | | 9.2.3 | Modified Largest Weighted Delay First (M- | |
|----|--------------------|----------|--|------------|
| | | | LWDF) Rule | 114 |
| | | 9.2.4 | Exponential (EXP) Rule | 115 |
| | 9.3 | Max-D | elay-Utility (MDU) Scheduling | 115 |
| | | 9.3.1 | Utility Functions | 115 |
| | | 9.3.2 | Optimization Objective | 116 |
| | | 9.3.3 | Problem Formulation in OFDMA | 118 |
| | | 9.3.4 | Algorithms | 118 |
| | 9.4 | Stabilit | у | 119 |
| | | 9.4.1 | Background and Definition of Stability | 119 |
| | | 9.4.2 | Capacity Region | 120 |
| | | 9.4.3 | Maximum Stability Region | 121 |
| | 9.5 | Proof o | f Theorem 9.4 | 126 |
| | 9.6 | Further | Improvement Through Delay Transmit Diver- | |
| | | sity and | Adaptive Power Allocation | 130 |
| | | 9.6.1 | Joint Dynamic Subcarrier Assignment and | |
| | | | Adaptive Power Allocation | 131 |
| | | 9.6.2 | Delay Transmit Diversity | 131 |
| | 9.7 | Simula | tion Results and Performance Comparison | 133 |
| | | 9.7.1 | Performance Comparison | 133 |
| | | 9.7.2 | Improvement of Delay Transmit Diversity and | |
| | | | Adaptive Power Allocation | 135 |
| | 9.8 | Summa | ury | 136 |
| 10 | Utilit | y-Based | Generalized QoS Scheduling for Heterogeneous | |
| | Traffi | - | | 138 |
| | 10.1 | Introdu | ction | 138 |
| | 10.2 | MDU S | Scheduling for Heterogeneous Traffic | 139 |
| | | 10.2.1 | Mechanisms of MDU Scheduling for Diverse | |
| | | | QoS Requirements | 140 |
| | | 10.2.2 | Marginal Utility Functions for MDU Scheduling | 141 |
| | 10.3 | Simulat | tion | 142 |
| | | 10.3.1 | Simulation Conditions | 142 |
| | | 10.3.2 | Simulation Results | 143 |
| | 10.4 | Summa | ıry | 144 |
| 11 | Asym | ptotic P | erformance Analysis for Channel-Aware Schedul | - |
| | | P | Jan 19 Ja | 149 |
| | ing | | | 149 |
| | ing 11.1 | Extrem | e Value Theory | - |
| | - | | e Value Theory totic Throughput Analysis of Single-Carrier | 149 150 |

xii

| | | Contents | xiii |
|------|--------|---|------|
| | 11.2.1 | System Model | 152 |
| | 11.2.2 | Throughput Analysis for Rayleigh Fading | 153 |
| | 11.2.3 | Throughput Analysis for General Channel | |
| | | Distributions | 157 |
| | 11.2.4 | Throughput Analysis for Normalized-SNR- | |
| | | Based Scheduling | 160 |
| | 11.2.5 | Numerical Results | 163 |
| 11.3 | Asymp | totic Delay Analysis of Single-Carrier Networks | 163 |
| | 11.3.1 | Asymptotic Distribution of Service Time | 165 |
| | 11.3.2 | Average Waiting Time | 166 |
| 11.4 | Asymp | totic Performance Analysis of Multicarrier | |
| | Networ | ks | 167 |
| | 11.4.1 | Asymptotic Throughput Analysis | 168 |
| | 11.4.2 | Asymptotic Delay Analysis | 168 |
| | 11.4.3 | Delay Performance Comparison | 169 |
| 11.5 | Summa | ury | 171 |
| | | | |

PART THREE DISTRIBUTED CROSS-LAYER OPTIMIZA-TION 175

| 110 | IN | | | 173 |
|-----|------|--------------------------------------|-------------------|-----|
| 12 | Over | view | | 178 |
| | 12.1 | Design Objective | | 178 |
| | 12.2 | Distributed Multi-User Diversity | | 179 |
| | 12.3 | Approaches | | 181 |
| 13 | Орро | rtunistic Random Access: Single-Cell | Cellular Networks | 184 |
| | 13.1 | Channel-Aware Aloha | | 185 |
| | | 13.1.1 Protocol Design and Parameter | er Optimization | 187 |
| | | 13.1.2 Performance Analysis | | 190 |
| | 13.2 | Opportunistic Splitting Algorithms | | 191 |
| 14 | Орро | rtunistic Random Access: Any Netwo | ork Topology | 195 |
| | 14.1 | Network Model | | 195 |
| | 14.2 | Optimal Design Rules | | 197 |
| | | 14.2.1 MAC Layer Analysis | | 199 |
| | | 14.2.2 Physical Layer Analysis | | 200 |
| | | 14.2.3 Criterion for Cross-Layer Des | sign | 201 |
| | 14.3 | Low-Complexity MAC | | 202 |
| | 14.4 | Optimal PHY Operation | | 206 |
| | | 14.4.1 Physical Layer Optimization | with Channel | |
| | | Inversion | | 206 |

| xiv | Contents | | | | |
|-----|----------|--|-----|--|--|
| | | 14.4.2 Physical Layer Optimization with Adaptive | | | |
| | | Modulation and Power Allocation | 208 | | |
| | 14.5 | System Performance | 211 | | |
| | | 14.5.1 Network Performance Improvement | 211 | | |
| | | 14.5.2 Suboptimality Gap | 214 | | |
| 15 | Optin | nal Channel-Aware Distributed MAC | 216 | | |
| | 15.1 | System Description | 217 | | |
| | 15.2 | Channel-Aware Medium Access Control | 220 | | |
| | 15.3 | Optimization | 225 | | |
| | | 15.3.1 CRS 1 | 226 | | |
| | | 15.3.2 CRS $k, k > 1$ | 227 | | |
| | 15.4 | Robustness Analysis | 231 | | |
| | 15.5 | Simulation Results | 235 | | |
| 16 | | ortunistic Random Access with Intelligent Interference | | | |
| | Avoid | lance | 241 | | |
| | 16.1 | 8 | 242 | | |
| | 16.2 | | 244 | | |
| | 16.3 | Parameter Optimization | 247 | | |
| | | 16.3.1 Trigger Selection | 247 | | |
| | | 16.3.2 An Alternate Trigger Mechanism Using Loca- | | | |
| | | tion Knowledge | 249 | | |
| | 16.4 | Network Performance | 251 | | |
| | | 16.4.1 Relationship of Trigger and SNR | 251 | | |
| | | 16.4.2 Performance Improvement | 252 | | |
| 17 | Distr | ibuted Power Control | 257 | | |
| | 17.1 | System Model | 257 | | |
| | 17.2 | Power Control for Real-Time Traffic | 259 | | |
| | | 17.2.1 Distributed Power Control | 261 | | |
| | 17.3 | Power Control for Elastic Traffic | 262 | | |
| | | 17.3.1 Existence of Equilibrium | 265 | | |
| | | 17.3.2 Uniqueness of Equilibrium in Single-Channel | | | |
| | | Systems | 267 | | |
| | | 17.3.3 Uniqueness of Equilibrium in Multi-Channel | | | |
| | | Systems | 270 | | |
| | | 17.3.4 Distributed Power Control with Pricing | 273 | | |
| | | | | | |

PART FOUR CROSS-LAYER OPTIMIZATION FOR ENERGY-EFFICIENT NETWORKS 277

| | | | Contents | XV |
|----|------|-----------|---|-----|
| 18 | Over | view | | 280 |
| | 18.1 | Lightin | ng Analogy | 281 |
| | 18.2 | Metho | dology | 284 |
| 19 | Ener | gy-Effici | ent Transmission | 288 |
| | 19.1 | Energy | Efficiency Capacity | 288 |
| | 19.2 | Ideal T | ransmission | 289 |
| | 19.3 | Energy | -Efficient Transmission in Practice | 290 |
| | 19.4 | Energy | -Efficient Link Adaptation in Frequency- | |
| | | Selecti | ve Channels | 296 |
| | | 19.4.1 | Modeling of Energy-Efficient Link Adaptation | 297 |
| | | 19.4.2 | Design Principles | 299 |
| | | 19.4.3 | Constrained Energy-Efficient Link Adaptation | 301 |
| | | 19.4.4 | Energy-Efficient Downlink OFDMA Trans- | |
| | | | mission | 303 |
| | | 19.4.5 | Iterative Algorithm Design | 304 |
| | | 19.4.6 | Energy Efficiency Gain | 308 |
| | 19.5 | Low-C | omplexity Energy-Efficient Link Adaptation | 309 |
| | 19.6 | Energy | -Efficient MIMO and MU-MIMO Link Adaptation | 312 |
| | | 19.6.1 | Energy-Efficient MU-MIMO Modeling | 313 |
| | | 19.6.2 | Principles of Energy-Efficient MU-MIMO | |
| | | | Power Allocation | 317 |
| | | 19.6.3 | Energy-Efficient MU-MIMO with Improved | |
| | | | Circuit Management | 318 |
| | | 19.6.4 | Energy Efficiency Gain | 326 |
| 20 | Cent | ralized F | Energy-Efficient Wireless Resource Management | 331 |
| | 20.1 | Overvi | ew | 331 |
| | | 20.1.1 | Circuit Component Management | 332 |
| | | 20.1.2 | Time-Domain Resource Management | 332 |
| | | 20.1.3 | Frequency-Domain Resource Management | 334 |
| | | 20.1.4 | Spatial-Domain Resource Management | 334 |
| | 20.2 | Energy | -Efficient OFDMA in Flat-Fading Channels | 335 |
| | | 20.2.1 | Resource Allocation without Fairness | 336 |
| | | 20.2.2 | Resource Allocation with Fairness | 338 |
| | | 20.2.3 | Performance Comparisons | 339 |
| | 20.3 | Energy | -Efficient Scheduling in Frequency-Selective | |
| | | Channe | els | 341 |
| | | 20.3.1 | Time-Averaged Network Energy Efficiency | 343 |
| | | 20.3.2 | Energy-Efficient Scheduler | 345 |
| | | 20.3.3 | Network Performance | 349 |

| xvi | | | Contents | |
|------|--------------|------------------|---|------------|
| 21 | Distr | ibuted E | nergy-Efficient Wireless Resource Management | 353 |
| | 21.1 | | uted Energy-Efficient MAC Design | 353 |
| | | 21.1.1 | General Rules of Distributed MAC Design | 355 |
| | | 21.1.2 | Impact of Traffic Load on Energy Consumption | 356 |
| | 21.2 | Energy | -Efficient Communications in Special Regimes | 361 |
| | | 21.2.1 | Circuit Power Dominated Regime | 362 |
| | | 21.2.2 | Transmit Power Dominated Regime | 362 |
| | | 21.2.3 | Noise Dominated Regime | 363 |
| | | 21.2.4 | Interference Dominated Regime | 364 |
| | 21.3 | | uted Energy-Efficient Power Control in Frequency- | |
| | | Selectiv | ve Channels | 365 |
| | | 21.3.1 | Non-cooperative Energy-Efficient Power Opti- | |
| | | | mization Game | 367 |
| | | | Existence of Equilibrium | 368 |
| | | 21.3.3 | | |
| | | | Channels | 369 |
| | | 21.3.4 | Uniqueness of Equilibrium in Frequency- | 270 |
| | | 21.2.5 | Selective Channels | 370 |
| | | | Conservative Nature of Power Control | 371 |
| | | 21.3.6 | SE and EE Improvement | 372 |
| 22 | Ener | | ent Cellular Network Design | 376 |
| | 22.1 | | nental Tradeoffs in Cellular Network Resource | |
| | | Utilizat | | 376 |
| | | 22.1.1 | Spectral and Energy Efficiency in Single User | |
| | | | Systems | 377 |
| | | 22.1.2 | Spectral and Energy Efficiency in Multi-User | |
| | | 22.1.2 | Systems with Orthogonal Selective Channels | 378 |
| | | 22.1.3 | Spectral and Energy Efficiency in Multi-User | 201 |
| | 22.2 | F | Systems with Interference Channels | 381 |
| | 22.2 | | Efficient Homogeneous Network Deployment | 383 |
| | 22.3 22.4 | | Efficient Heterogeneous Network Deployment | 386 |
| | 22.4 | | -Efficient Cellular Network Operation | 388 |
| | | | Energy-Efficient Cell Breathing | 388 389 |
| | | 22.4.2 22.4.3 | Energy-Efficient BS Sleeping Cell Size Adaptation Techniques | 389 389 |
| | | 22.4.3 | Other Energy-Efficient Designs | 390 |
| 22 | Imal | | | |
| 23 | - | | ion in Practice | 392 |
| Appe | ndix A | Pro | ofs of Theorems and Lemmas | 400 |

| | Contents | xvii |
|--------------|----------|------|
| Bibliography | | 419 |
| Index | | 432 |

xviii

Contents