Linux 101

Johan Montelius

KTH

2021

1/18

Some history - way back



BESK - KTH 1953, 512 word memory

- - 1960
- Large single job machines, batch processing
- Operating system often only libraries to handle hardware.

also long time ago



PDP-10 - KTH 1970 ca, 256 Kiword memory

- 1970 1980
- Multiuser systems, minicomputers (very large)
- Time sharing, virtual memory, hard drives, ...
- Birth of Unix and C



Mac or IBM PC?

- 1980 1990
- The personal computer.
- Manual switching between programs.
- MS-DOS, Mac OS, ...



AIX, HP-UX, Solaris, Ultrix ...

- 1980 2000
- Unix flavors become the leading operating systems for everything but personal computers.
- Everyone wants a standard their own.



Gnu is Not Unix

- 1983 -
- Providing a free (as in speech, not beer) operating system with everything you could need.
- Everything was in place ... the kernel will soon be ready.

1991

Hello everybody out there using minix -

I'm doing a (free) operating system (just a hobby, won't be big and professional like gnu) for 386(486) AT clones. : :

PS. Yes - it's free of any minix code, and it has a multi-threaded fs. It is NOT portable (uses 386 task switching etc), and it probably never will support anything other than AT-harddisks, as that's all I have :-(.

- Linus Torvalds



Linux - the kernel for GNU

- 1993 -
- Linus Torvalds
- A monolithic system targeting the Intel 386 CPU.
- Linux was born and became the kernel for GNU.


The Unix Family

<ロト < (日) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10) < (10)


MULTICS MIT/GE/Bell Labs

MULTICS MIT/GE/Bell Labs


UNIX AT&T (Bell Labs)





◆□▶ ◆□▶ ◆臣▶ ◆臣▶ 臣 のへぐ





◆□▶ ◆□▶ ◆臣▶ ◆臣▶ 臣 のへぐ





























.. left out a hundred other systems.

Even more




Figure: from www.levenez.com/unix/history.html


3

Monolithic vs Microkernel


| Application | Application |
|-------------|------------------------------|
| File sys | Networking stem HW inf |
| IPC | Scheduler Pipes |
| Drivers | Memory mngr |

One large monolithic kernel. Linux, BSD, MacOS,


Monolithic vs Microkernel




One large monolithic kernel. Linux, BSD, MacOS,



Monolithic vs Microkernel



One large monolithic kernel. Linux, BSD, MacOS,



You can, but few do, download and compile exactly the components that you want ... few people do that.

You can, but few do, download and compile exactly the components that you want ... few people do that.

• **Debian**: the base for many - Ubuntu, Mint ... most popular

You can, but few do, download and compile exactly the components that you want ... few people do that.

- **Debian**: the base for many Ubuntu, Mint ... most popular
- Fedora: used by Linus, Red Hat commercial version, CentOS

You can, but few do, download and compile exactly the components that you want ... few people do that.

- **Debian**: the base for many Ubuntu, Mint ... most popular
- Fedora: used by Linus, Red Hat commercial version, CentOS ...
- Mandriva: a.k.a Mandrake, Red Hat offspring, KDE, Intel only

You can, but few do, download and compile exactly the components that you want ... few people do that.

- **Debian**: the base for many Ubuntu, Mint ... most popular
- Fedora: used by Linus, Red Hat commercial version, CentOS ...
- Mandriva: a.k.a Mandrake, Red Hat offspring, KDE, Intel only

• **openSUSE**: supported by Novell, second most popular distro

You can, but few do, download and compile exactly the components that you want ... few people do that.

- **Debian**: the base for many Ubuntu, Mint ... most popular
- Fedora: used by Linus, Red Hat commercial version, CentOS ...
- Mandriva: a.k.a Mandrake, Red Hat offspring, KDE, Intel only

- **openSUSE**: supported by Novell, second most popular distro
- GenToo: BSD like, professional users

The kernel will not get you far, you will need: drivers, file system, network, security, codecs, window manager, compilers, browsers, office, games ...

You can, but few do, download and compile exactly the components that you want ... few people do that.

- **Debian**: the base for many Ubuntu, Mint ... most popular
- Fedora: used by Linus, Red Hat commercial version, CentOS ...
- Mandriva: a.k.a Mandrake, Red Hat offspring, KDE, Intel only

- **openSUSE**: supported by Novell, second most popular distro
- GenToo: BSD like, professional users
- Arch Linux: for advanced users, Antergos, KaOS, Manjaro

The kernel will not get you far, you will need: drivers, file system, network, security, codecs, window manager, compilers, browsers, office, games ...

You can, but few do, download and compile exactly the components that you want ... few people do that.

- **Debian**: the base for many Ubuntu, Mint ... most popular
- Fedora: used by Linus, Red Hat commercial version, CentOS ...
- Mandriva: a.k.a Mandrake, Red Hat offspring, KDE, Intel only

- **openSUSE**: supported by Novell, second most popular distro
- GenToo: BSD like, professional users
- Arch Linux: for advanced users, Antergos, KaOS, Manjaro
- Slackware: you'll learn a lot

Ubuntu

Ubuntu



Ubuntu



- Supported by Canonical
- Based on Debian packages.
- Two regular releases a year :04 and :10
- LTS five year support, released every second year
- Things work and are easy to maintain.






















Share of Top500 Super Computers







<ロト < 部 > < 言 > く言 > こ > う < で 16 / 18








the elephant in the room

<ロト <回ト < 言ト < 言ト < 言ト こと の Q () 17/18

the elephant in the room



• Install a *virtual machine* on top of your regular system.

- Install a virtual machine on top of your regular system.
- Take an old laptop and boot it from scratch.

- Install a virtual machine on top of your regular system.
- Take an old laptop and boot it from scratch.
- Join the good side.